

Aluminum & Stainless Steel

In Kitchen Application

Find the both
Manufacturer



Aluminum



Stainless Steel

Company Introduction 公司简介

Over the years, we are Hong Kong Company have sold the furniture hardware fittings in Hong Kong successfully.

We set up an factory in China Guangzhou in 2003. In 2015, we builded factories in Foshan. The factory has comprehensive machineries to develop for new products. Our first item of the product was finished in 2003. Such as Roller shutter, stainless steel door and one track sliding door. The annual revenue is 3 - 5 millions per years.

We have own brand EQ and MT in Stainless steel and roller shutter items. The quality of our products complies with the international requirement such as LGA, ISO9001 and DIN. We also have experience housing and construction projects to offer OEM service.

卓明伊利来厨卫有限公司本属香港公司，多年来不断经营及研究开发。目前已成为港、澳、台地区具规模的进口家具配件代理和分销商。

2003 年，在中国广州创建生产基地——广州市卓明建材有限公司，在 2015 年，我们于佛山增建厂房，成立了佛山市卓明伊利来厨卫有限公司。具强大的生产力以及研发能力。自工厂成立先后研发及设计出卷帘门、不锈钢门板、板式不锈钢橱柜、平移路轨等系列产品。每年营业额在以三至五百万的速度在递增。

我们专业承接厨房配套工程、提供 OEM 代工服务。拥有 "MT"，"EQ"，"EQ 伊利来" 三大自主品牌。产品质量达到 LGA，ISO9001 和 DIN 等国际检测认证。



Staff



Edmond Kwong
Senior Manager - Overseas
邝锦华
高级海外销售经理



Kam Know Sun
Manager - China
沉锦流
销售经理



Sally Chow
Operation Senior Officer - Office
周淑仪
高级内务业务主任



Cici Chan
Operation Senior Officer - Factory
陈秋
高级厂务业务主任

Factory





P. 6-19

Roller Shutter 卷簾門

- 3-Step Work Glass Roller Shutter
- Electric Alum Roller Shutter
- 3-Step Work Alum Roller Shutter
- Cassette Box Alum Roller Shutter
- Stainless Steel Alum Roller Shutter
- Classic Alum Roller Shutter
- Alum Roller Shutter
- Plastic Roller Shutter



Table Leg 台腳

P. 20-31

- Aluminum Leg
- Stainless Steel Leg
- Tempered Glass Alum Leg
- Side Table Leg

P. 32-37

Wall Shelf Structure 鋁模塊化系統

- Installation Diagram
- LED Aluminum Profile

Aluminum Frame 鋁框

P. 38-53

- Aluminum Frame with Handle
- Aluminum Classical Frame
- Aluminum Dustless Frame
- Free Edge Aluminum Frame
- Aluminum Edge Glass Door
- Aluminum Handle Edge
- Aluminum Table Frame
- Aluminum Profile Cabinet System



P. 54-69

Aluminum & Stainless Steel Fittings 鋁及不鏽鋼配件

- Strong Magnetic
- One Track Sliding Door
- Kitchen Plinth Edge
- Draining Tray
- Ventilation Cover Aluminum
- Ventilation Cover Stainless Steel
- Steptop
- Heavy Duty Shelf Support
- Recessed Soft Close Hinges and fittings
- 45mm Full Extension Ball Bearing Slides
- Full Extension Ball Bearing Slides
- Soft Closing Cabinet Support
- Kitchen Hardware Fittings



P. 70-87

Welding-Free Stainless Steel Kitchen Cabinet Unit 不鏽鋼櫥櫃

- Stainless Steel Panel
- Assembled Cabinet Series
- Full Set Cabinet Series
- Mini Cabinet Series
- Feature of Kitchen
- Stainless Steel Individual Sink Unit
- Stainless Steel Individual Bath Unit



Case of Project

P. 88

Roller Shutter 卷帘门



Roller Shutter Application 卷帘门应用

Rolling shutter doors can be used in different cabinets, such as cabinet-type kiosks, cabinets, computer cabinets, lockers, and even home kitchen cabinets, wide range of uses. In addition, based on the unique design, even the average person is also very easy to install.

In addition, we also provide OEM services, according to the size of the guests set by the shutter doors, to meet the needs of the guests size.

卷帘门主要能应用于不同的柜上，如柜型小卖店、车柜、电脑柜、储物柜、甚至是家中厨柜等，用途广泛。另外基于独特设计，即使一般人也非常容易安装。

另外我们也提供OEM服务，可跟据客人所订的尺吋制定卷帘门，迎合客人需要的尺吋。




Cafe Storage Cabinet
咖啡店储物柜



Ocean Park Hong Kong Gift Shop
香港海洋公园纪录品小卖部



Car Baggage Compartment
行车箱卷帘门



Hong Kong Ngong Ping 360 Kiosk
香港昂坪 360 小卖店

Our Roller Shutters Series is divided into five different systems:

我们的卷帘门系列分为五个不同的系统：



Steel Box



Steel Box Roller Door



PVC

Plastic Box



Plastic Box Roller Door



DIY



DIY Roller Door




Auto Electci



Auto Electric Roller Door



Manual



Manual Roller Door

Material & Finished

Glass




Glass



White
白色



Black
黑色



Frosted
磨砂



304
Stainless Steel



Stainless Steel
不锈钢

Aluminum



Aluminum



White
白色



Black
黑色



Champagne
香槟金



Anodized
氧化



SS Hairline
不锈钢拉丝



RSG-300

3-Step Work Glass Roller Shutter
盒式玻璃卷帘门

A mechanism box has been formed into a set of shutter doors required shutter, Reels and accessories. It is completely a stand-alone device without processing configuration.

Product Features

- Easy and fast installation
- No special tooling is required
- Accurately measure mounting position
- Saving installation time and labor costs

一个箱已组成一套卷帘门所需的卷帘，卷轴及配件，完全是一个独立装置无需加工配置。

产品特性

- 容易及快速安装
- 无需特别工具装置
- 准确测量安装位置
- 节省安装时间及人工费用



50mm



90mm



Black
黑色



White
白色



Orange
橙色



White
白色




Black
黑色







Frosted
磨砂

专利号 (Patent No.): 200820238501.3
专利号 (Patent No.): ZL 2008 I 004179.5



Standard Size: 常规尺寸

Board Thickness: 板厚	18mm
Cabinet Width: 柜宽度	600mm
Cabinet Height: 柜高度	900/1000/1200/1400mm
At Least Cabinet Depth: 最小柜深度	320mm
Install Height: 安装高度	185mm
Distance of The Shelf: 架的距离	20mm



RSE-800

Electric Alum Roller Shutter
电动铝卷帘门

A wireless remote control device electric box has been formed into a set of shutter doors required shutter, Reels and accessories. It is completely a stand-alone device without processing configuration.

Product Features

- Easy and fast installation
- Built-in receiver, wireless remote control
- Add or delete remote control at any time
- The remote control sets the travel
- No special tooling is required
- Accurately measure mounting position
- Saving installation time and labor costs

一个无线遥控电动机箱已组成一套卷帘门所需的卷帘、卷轴及配件，完全是一个独立装置无需加工配置。

产品特性


- 容易及快速安装
- 内置接收器，无线遥控
- 随时增加或删除遥控器
- 遥控器设定行程
- 无需特别工具装置
- 准确测量安装位置
- 节省安装时间及人工费用




20mm
25mm
28mm
40mm



Black
黑色



White
白色




Anodized
氧化



SS Hairline
不锈钢拉丝




Brown
啡色



Standard Size: 常规尺寸


Board Thickness: 板厚	18mm
Cabinet Width: 柜阔度	600/900mm
Cabinet Height: 柜高度	900/1000/1200/1400/1500mm
At Least Cabinet Depth: 最小柜深度	300mm
Install Height: 安装高度	175mm
Distance of The Shelf: 架的距离	15mm



Up
上升



Stop
停止



Down
下降

RS&P-300

3-Step Work Alum Roller Shutter
盒式快装卷帘门

A mechanism box has been formed into a set of shutter doors required shutter, Reels and accessories. It is completely a stand-alone device without processing configuration.


Product Features

- Easy and fast installation
- No special tooling is required
- Accurately measure mounting position
- Saving installation time and labor costs

一个箱已组成一套卷帘门所需的卷帘、卷轴及配件，完全是一个独立装置无需加工配置。

产品特性

- 容易及快速安装
- 无需特别工具装置
- 准确测量安装位置
- 节省安装时间及人工费



20mm
25mm
28mm
40mm



Black
黑色



White
白色



Anodized
氧化



SS Hairline
不锈钢拉丝





Brown
啡色



专利号 (Patent No.): 200820205242.4

Mechanism



Standard Size: 常规尺寸

Board Thickness: 板厚	16/18mm
Cabinet Width: 柜阔度	500/600/900mm
Cabinet Height: 柜高度	900/1000/1200/1400/1500mm
At Least Cabinet Depth: 最小柜深度	300mm
Install Height: 安装高度	175mm

RSP-300

Cassette Box Alum Roller Shutter
盒装铝卷帘门

A mechanism box has been formed into a set of shutter doors required shutter, Reels and accessories. It is completely a stand-alone device without processing configuration.

Product Features

- Easy and fast installation
- No special tooling is required
- Accurately measure mounting position
- Saving installation time and labor costs


一个箱已组成一套卷帘门所需的卷帘，卷轴及配件，完全是一个独立装置无需加工配置。

产品特性

- 容易及快速安装
- 无需特别工具装置
- 准确测量安装位置
- 节省安装时间及人工费用



Black
黑色



White
白色




Anodized
氧化



SS Hairline
不锈钢拉丝



Brown
啡色



Standard Size: 常规尺寸

Board Thickness: 板厚	18mm
Cabinet Width: 柜阔度	500/600/900mm
Cabinet Height: 柜高度	900/1000/1200/1400/1500mm
At Least Cabinet Depth: 最小柜深度	250mm
Install Height: 安装高度	175mm
Distance of The Shelf: 架的距离	15mm

RSS-300

Stainless Steel Alum Roller Shutter
不锈钢卷帘门

A mechanism box has been formed into a set of shutter doors required shutter, Reels and accessories. It is completely a stand-alone device without processing configuration.

Product Features

- Easy and fast installation
- No special tooling is required
- Accurately measure mounting position
- Saving installation time and labor costs

一个箱已组成一套卷帘门所需的卷帘，卷轴及配件，完全是一个独立装置无需加工配置。

产品特性


- 容易及快速安装
- 无需特别工具装置
- 准确测量安装位置
- 节省安装时间及人工费用



50mm



90mm



Standard Size: 常规尺寸

Board Thickness: 板厚	18mm
Cabinet Width: 柜阔度	600mm
Cabinet Height: 柜高度	900/1000/1200/1400mm
At Least Cabinet Depth: 最小柜深度	320mm
Install Height: 安装高度	185mm
Distance of The Shelf: 架的距离	20mm

RS-100

Classic Alum Roller Shutter
经典铝卷帘门

Twelve years experience in the production and design experience, it is the most widely to use and best-selling classic product.

经历十二年制作经验及设计，是最畅销及广泛使用的经典产品。



20mm
25mm
28mm
40mm



Black
黑色



White
白色




Anodized
氧化



SS Hairline
不锈钢拉丝



Brown
啡色



Standard Size: 常规尺寸

Board Thickness: 板厚

16/18mm

Cabinet Width: 柜阔度



500/600/900mm

Cabinet Height: 柜高度

900/1000/1200/1400/1500mm

RSV-600

Alum Roller Shutter
铝企身卷帘门



RSV-700


Plastic Roller Shutter
塑胶企身卷帘门



White 白

Black 黑

Brown 棕





Description of the Shutter

Aluminum Roller Shutter		
Model No.	RSP-300 / RS&P-300 / RS-100	
Finished	Anodized	氧化
	Hairline	拉丝
	Stainless Steel Hairline	不锈钢拉丝
	White	白色
	Black	黑色
	Champagne	香槟色


Interior Measures (mm)		
Maximum Height : 1500mm	A	
Maximum Width : 900mm	B	
Maixmum Interior Depth : 280mm	C	280mm
Thickness of the Lateral-Vertical boards in mm	D	16/17/18mm
At least 15mm for the distance fo the shelf	E	15mm
The Height of the shelf 175mm	F	175mm
The Width of the profile 20/25/28/40mm		
Remark: Special size can be done	Width : 1200mm 1500mm x Height : 1000mm	Height : 1500mm

Glass and Stainless Steel Roller Shutter		
Model No.	RSG-300 / RSS-300	
Side Profile	Anodized	氧化
	Stainless Steel Hairline	不锈钢拉丝
	White	白色
	Black	黑色
Glass Colour	White	白色
	Black	黑色
	Frosted	磨砂

Interior Measures (mm)		
Maximum Height : 1400mm	A	
Maximum Width : 600mm	B	
Maximum Interior Depth : 320mm	C	320mm
Thickness of the Lateral-Vertical boards in mm	D	16/17/18mm
At least 20mm for distance of the shelf	E	20mm
The Height of the Shelf : 185mm	F	185mm
The Width of the profile : 50mm / 90mm		50mm / 90mm



Packing of the Roller Shutter



Packaging Size: 包装尺寸

Canton Size for box dimension of the RSP-300 and RS&P-300
Width 600mm - 580mm x 250mm x 190mm
Width 900mm - 880mm x 250mm x 190mm

Canton Size for box dimension of the RSG-300 and RSS-300
Width 600mm - 640mm x 380mm x 270mm

Canton Size for side profile dimension of the
RSP-300, RS&P-300 & RSG-300, RSS-300, RS-100

Width 900mm - 902mm x 40mm x 60mm
Width 1200mm - 1202mm x 40mm x 60mm
Width 1400mm - 1402mm x 40mm x 60mm
Width 1500mm - 1502mm x 40mm x 60mm

Table Leg
台脚



Our Table Leg Series is divided into five different systems:

我们的台脚系列分为五个不同的系统：




Aluminum Leg



Stainless Steel Leg



Tempered Glass
Alum Leg



Side Table Leg




Table Leg

Aluminum Leg
铝台脚





75 x 75 x 75

H x W x D(mm)	Item No.
150 x 105 x 105	AL-T150-75
200 x 105 x 105	AL-T200-75
300 x 105 x 105	AL-T300-75
710 x 105 x 105	AL-T710-75
835 x 105 x 105	AL-T835-75
1055 x 105 x 105	AL-T1055-75
1100 x 105 x 105	AL-T1100-75







60 x 60

H x W x D(mm)	Item No.
105 x 105 x 105	AL-A150-60
200 x 105 x 105	AL-A200-60
300 x 105 x 105	AL-A300-60
710 x 105 x 105	AL-A710-60
835 x 105 x 105	AL-A835-60
1055 x 105 x 105	AL-A1055-60
1100 x 105 x 105	AL-A1100-60



60 x 60

H x W x D(mm)	Item No.
105 x 105 x 105	AL-R150-60
200 x 105 x 105	AL-R200-60
300 x 105 x 105	AL-R300-60
710 x 105 x 105	AL-R710-60
835 x 105 x 105	AL-R835-60
1055 x 105 x 105	AL-R1055-60
1100 x 105 x 105	AL-R1100-60



80 x 80

H x W x D(mm)	Item No.
105 x 140 x 140	--
200 x 140 x 140	AL-R200-80
140 x 140 x 140	AL-R300-80
710 x 140 x 140	AL-R710-80
835 x 140 x 140	AL-R835-80
1055 x 140 x 140	AL-R1055-80
1100 x 140 x 140	AL-R1100-80






Table Leg

Aluminum Leg
铝台脚



60 x 60

H x W x D(mm)	Item No.
150 x 105 x 105	AL-R150-60-W
200 x 105 x 105	AL-R200-60-W
300 x 105 x 105	AL-R300-60-W
710 x 105 x 105	AL-R710-60-W
835 x 105 x 105	AL-R835-60-W
1055 x 105 x 105	AL-R1055-60-W
1100 x 105 x 105	AL-R1100-60-W



60 x 60

H x W x D(mm)	Item No.
150 x 105 x 105	AL-A150-60-W
200 x 105 x 105	AL-A200-60-W
300 x 105 x 105	AL-A300-60-W
710 x 105 x 105	AL-A710-60-W
835 x 105 x 105	AL-A835-60-W
1055 x 105 x 105	AL-A1055-60-W
1100 x 105 x 105	AL-A1100-60-W






Table Leg

Stainless Steel Leg
不锈钢台脚



50 x 50

H x W x D(mm)	Item No.
150 x 105 x 105	SSL-R150-50-H
200 x 105 x 105	SSL-R200-50-H
300 x 105 x 105	SSL-R300-50-H
710 x 105 x 105	SSL-R710-50-H
835 x 105 x 105	SSL-R835-50-H
1055 x 105 x 105	SSL-R1055-50-H
1100 x 105 x 105	SSL-R1100-50-H



60 x 60

H x W x D(mm)	Item No.
150 x 105 x 105	SSL-R150-60-H
200 x 105 x 105	SSL-R200-60-H
300 x 105 x 105	SSL-R300-60-H
710 x 105 x 105	SSL-R710-60-H
835 x 105 x 105	SSL-R835-60-H
1055 x 105 x 105	SSL-R1055-60-H
1100 x 105 x 105	SSL-R1100-60-H







Table Leg

Tempered Glass Alum Leg
钢化玻璃台脚




60 x 60

H x W x D(mm)	Item No.
150 x 105 x 105	GL-C150-60-W
200 x 105 x 105	GL-C200-60-W
300 x 105 x 105	GL-C300-60-W
710 x 105 x 105	GL-C710-60-W
835 x 105 x 105	GL-C835-60-W
1055 x 105 x 105	GL-C1055-60-W
1100 x 105 x 105	GL-C1100-60-W




60 x 60

H x W x D(mm)	Item No.
150 x 105 x 105	GL-C150-60-B
200 x 105 x 105	GL-C200-60-B
300 x 105 x 105	GL-C300-60-B
710 x 105 x 105	GL-C710-60-B
835 x 105 x 105	GL-C835-60-B
1055 x 105 x 105	GL-C1055-60-B
1100 x 105 x 105	GL-C1100-60-B




60 x 60

H x W x D(mm)	Item No.
150 x 105 x 105	GL-O150-60-W
200 x 105 x 105	GL-O200-60-W
300 x 105 x 105	GL-O300-60-W
710 x 105 x 105	GL-O710-60-W
835 x 105 x 105	GL-O835-60-W
1055 x 105 x 105	GL-O1055-60-W
1100 x 105 x 105	GL-O1100-60-W





60 x 60

H x W x D(mm)	Item No.
150 x 105 x 105	GL-O150-60-B
200 x 105 x 105	GL-O200-60-B
300 x 105 x 105	GL-O300-60-B
710 x 105 x 105	GL-O710-60-B
835 x 105 x 105	GL-O835-60-B
1055 x 105 x 105	GL-O1055-60-B
1100 x 105 x 105	GL-O1100-60-B



Sturcture of Tempered Glass Alum Leg 钢化玻璃台脚结构

Can replace the materials in the Alum Leg Frame



Glass Colour



EQ-801 Black 黑
EQ-803 White 白
EQ-802 Red 红
EQ-808 Light Shine-Blue 浅闪蓝
EQ-810 Silver 银



EQ-818 Claret 枣红
EQ-821 Golden-Rose 金玫瑰
EQ-825 Golden-Line 金条纹
EQ-827 Silver-Line 银条纹
Mirror 镜


Table Leg

Side Table Leg
双台脚




40 x 40

H x W x W1 x D	Item No.
710 x 160 x 130 x 105	STL-710-40
820 x 160 x 130 x 105	STL-820-40
870 x 160 x 130 x 105	STL-870-40




75 x 75 x 75

H x W x W1 x D	Item No.
710 x 220 x 200 x 105	STL-710-75
820 x 220 x 200 x 105	STL-820-75
870 x 220 x 200 x 105	STL-870-75




60 x 60

H x W x W1 x D	Item No.
710 x 220 x 170 x 105	STL-710-60
820 x 220 x 170 x 105	STL-820-60
870 x 220 x 170 x 105	STL-870-60




80 x 80

H x W x W1 x D	Item No.
710 x 260 x 210 x 140	STL-710-80
820 x 260 x 210 x 140	STL-820-80
870 x 260 x 210 x 140	STL-870-80




EQ - Wall Shelf Structure

鋁模塊化系統




Flexible structure


Material: Aluminum




Item No.	E59001
Length	3.0m
Colour	Black
Thickness	1.5mm




Item No.	E59003
Colour	Black
Aperture	M5




Item No.	E59002
Length	3.0m
Colour	Black
Thickness	1.5mm



Item No.	E59005
Colour	Black
Aperture	M5




Item No.	E59004
Length	3.0m
Colour	Black
Thickness	1.5mm




EQ – Installation Diagram

安裝示意圖




No.	Item No.	Item name
1	E59001	STRUT
2	E59002	STRUT WITH SUPPORT
3	GASKET FOR PROFILE E59002	GASKET
4	E59003	CORNER JOINTS.3-SIDED
6	M5x12BL	SCREW



No.	Item No.	Item name
1	E59001	STRUT
2	E59002	STRUT WITH SUPPORT
3	GASKET FOR PROFILE E59002	GASKET
4	E59003	CORNER JOINTS.3-SIDED
5	E59005	CORNER JOINTS.4-SIDED
6	M5x12BL	SCREW

LED Aluminum Profile LED 铝料



EQ - LED Series LED Aluminum Profile LED 铝料



LED-1003




LED-1104




LED-1204





Our Aluminum Frame Series is divided into five different systems:

我们的铝框系列分为五个不同的系统：



Aluminum
Frame with Handle




Aluminum
Classical Frame



Aluminum
Dustless Frame



Aluminum
Edge Glass Door




Aluminum
Handle Edge


EQ - AD Series

Aluminum Frame with Handle
铝框连拉手


AD-9300





AD-9306





AD-9302



AD-9306




Glass
4mm C9





Glass
4mm C9



AD-9304



AD-9306



Glass
4mm C9



Black 黑
Specular 亮光
Crystal Blue 水晶银
Champagne Gold 香槟金

Glass Colour



White Billow
白波纹



Wood Billow
木波纹



White
白




Grey
灰



Ebony
檀木



Rosewood
紫檀木





Handle Size: 150-450mm
Frame Size: 600-900mm



EQ - AD Series

Aluminum Classical Frame
经典铝框Black
黑色White
白色Anodized
氧化SS Hairline
不锈钢拉丝



AD-2080





AD-2093





AD-2081





AD-2095





AD-2091





AD-2098



AD-2105



AD-2918-45



EQ – AD Series

Aluminum Dustless Frame
无尘铝框




AD-2910+AD2911





AD-2912+AD2913



AD-2915+AD2916




AD-2910




AD-2911

Dustless Structure




AD-2912




AD-2913


Dustless Structure




AD-2915



AD-2916




Aluminum

Black
黑色White
白色Anodized
氧化SS Hairline
不锈钢拉丝


M: Measurement for glass
玻璃扣减数

F: Finished
表面处理

SA/A: Hairline / Anodized
拉丝 / 氧化




AD-2910




AD-2911

C6 I ≤ 7mm H-37 W-3 SA/A
GLASS+W OOD M F




AD-2912

S8-1 C5 4/5mm H-37 W-3 SA/A
GLASS M F




AD-2913

S8-1 C5 I ≤ 8mm H-37 W-3 SA/A
GLASS+W OOD M F



AD-2915

S8-1 C5 4/5mm H-37 W-3 SA/A
GLASS M F




AD-2916

S8-1 C5 4/5mm H-37 W-3 SA/A
GLASS M F


EQ – AD Series

Free Edge Aluminum Frame
无边铝框


AD-2144+AD-2143




AD-2140+AD-2133




AD-2946




AD-2947+AD-2948




AD-2953+AD-2954




AD-2959+AD-2954




EQ - AE Series

Aluminum Edge Glass Door
铝框玻璃门


AE-3041




AE-3042





AE-3029



AE-3030




AE-3028



M: Measurement for glass
玻璃扣减数
F: Finished
表面处理
SA/A: Hairline / Anodized
拉丝 / 氧化



Aluminum

Black
黑色White
白色Anodized
氧化SS Hairline
不锈钢拉丝

Glass



粉红 (RG06)



粉蓝 (RG07)



粉绿 (RG08)




橙 (RG09)


EQ - AE Series

Aluminum Handle Edge
铝封边拉手


AE-1218




AE-1219




AE-1220




AE-2118




AE-2320




AE-2219




AE-2518




AE-2520




AE-2318




AE-2718




AE-2519




AE-2319




AE-2319A




AE-2220



SD-8081








AE-2120



EQ - AH Series

Aluminum Handle Edge
铝封边拉手




EQ - AD Series





AD-17001+ AD-17002

AD17001




AD17002





AH-7001 + AH-7002


AH7001




AH7002




AE-3100




AE-3101



AE-3102



2120-19




EQ – AT Series

Aluminum Table Frame
铝制餐车






EQ – Aluminum Profile Cabinet System


铝型材柜



Completed
完成圖




AT-6252B



AT-6252C

A	AC-01		D	AC-05	
B	AC-02		E	AC-06	
C	AC-03		F	AC-07	

Aluminum & Stainless Steel Fittings 铝及不锈钢配件



EQ - ST Series

Strong Magnetic
强力超薄门吸

Plating Surface Processing



2mm Thin



Powerful Magnetic



Strong Magnetic



Capacities 2 lb

Super Strong Magnetic




Capacities 3 lb

Ultra Strong Magnetic




Capacities 4 lb


ST0701




ST0701A




ST0702




ST0702A



ST0703



ST0703A



EQ - SD Series

One Track Sliding Door
平移门

One Sliding Door is suitable for two or three doors, it is different from the traditional design. This design can save space of the space of the cabinet inside.


Door Depth: $D \leq 30$
Door Width: 575-1200mm(2 Doors)
575-1000mm(3 Doors)
Door Height: under 2500mm
Door Panel Weight: 35kg per door

适合二门或三门柜体，视觉更开阔，有别传统的设计。

无需占用柜内空间，大大提升柜内使用率，充分舒缓衣柜内窄的窘态。

门板厚度: $D \leq 30$
门宽度: 575-1200mm(2 Doors)
575-1000mm(3 Doors)
高度: 2500mm 以下
承载重量: 35kg per door


专利号 (Patent No.): 200820205548.X



1960mm




2700mm






2400mm

SD-246 2 Doors
SD-301 3 Doors
SD-400 2 Doors



1960mm
2700mm
2400mm



EQ - PE Series

Kitchen Plinth Edge
踢脚板

Fully Aluminum









Black
黑色

White
白色

Anodized
氧化

SS Hairline
不锈钢拉丝

Aluminum & PVC



1025-100mm
1025-110mm
1025-150mm



S3



1025-100mm
1025-110mm
1025-150mm



1018PP



RL-01




EQ - DT Series

Draining Tray
防漏水盘

Custom-made and OEM

DT-A



Draining Tray Aluminum / Stainless Steel
不锈钢 / 铝防漏水盘



Standard Carcase	A		B		C		D	TH	BOX
	Front Panel		Depth of Carcase						
	16	18	500	550					
DTB-400	368	364	Customer' s Request	Customer' s Request	16	18	12	0.3-0.5	30pcs
DTB-450	418	414							
DTB-500	468	464							
DTB-600	568	564							
DTB-700	668	664							
DTB-800	768	764							
DTB-900	868	864							
DTB-1000	968	964							
DTB-1200	1168	1164							



EQ – VC Series

Ventilation Cover Aluminum
铝透气板



Item No.	X x Y (Outside dimension)	a x b (Inside dimension)
VG-A	150 x 80	120 x 65
VG-B	300 x 80	270 x 65
VG-C	400 x 80	370 x 65
VG-D	650 x 80	620 x 65
VG-E	750 x 80	720 x 65

Ventilation Cover Stainless Steel
不锈钢透气板



Item No.	Outside dimension	Inside dimension
VC33-600	600 x 33	566 x 33
VC33-900	900 x 33	866 x 33
VC85-600	600 x 85	568 x 85
VG-D	A x B mm	
VC92-600	600 x 92	

EQ – Steptop Series

Steptop
轻型折梯




Less Space
120kg Loading
Easy Open by Fingertips

Steptop-1




H 535mm W 432mm D 38mm



Steptop-2



H 700mm W 432mm D 38mm



EQ – Heavy Duty Shelf Support

重力臂架



U.K. Patents: 6052736
Loading Test: 100 kg


Side Profile: HD-01



Size(inch)
6"
8"
10"
12"
14"
16"
18"
20"
22"
24"

3 (meter)

Material : Aluminum



EQ – Recessed Soft Close Hinges and fittings

天地較及配件




Aluminum profile
450mm, 600mm, 900mm

Easily installation

Strong support for the glass
and wooden door

Recessed soft close hinges
and aluminum fittings



EQ – Ball Bearing Drawer Slides Series

45mm Full Extension Ball Bearing Slides

45mm 三节钢珠路轨

Finish: clear zinc plated
表面处理：电镀锌层
Package: 15 sets/carton(without screw)
包装：15套/箱
Colour: Black / White
颜色：黑色/白色

4510 Full Extension Ball Bearing Slide




Size: 8" -24"
load rating: 45kg/18"

4510 Full Extension Ball Bearing Slide Soft Closing



Size: 14" -24"
load rating: 40kg/18"

4510 Full Extensionl Ball Bearing Slide



Size: 10" -24"
load rating: 45kg/18"

4510 Full Extension Ball Bearing Slide Soft Closing



Size: 14" -24"
load rating: 40kg/18"

EQ – Ball Bearing Drawer Slides Series

45mm Full Extension Ball Bearing Slides

45mm 三节钢珠路轨

Finish: clear zinc plated
表面处理：电镀锌层
Package: 15 sets/carton(without screw)
包装：15套/箱
Colour: Black / White
颜色：黑色/白色

4512 #304 Full Extension Ball Bearing Slide Soft Closing



304
Stainless Steel



Size: 8" -24"
load rating: 45kg/18"

4512 #201 Full Extension Ball Bearing Slide Soft Closing



Size: 8" -24"
load rating: 45kg/18"


EQ – Ball Bearing Drawer Slides Series

Full Extension Ball Bearing Slides

三节钢珠路轨


Finish: clear zinc plated
表面处理：电镀锌层
Package: 15 sets/carton(without screw)
包装：15套/箱
Colour: Black / White
颜色：黑色/白色

2471E Full Extension Ball Bearing Slide (拉篮滑轨 Wire Basket)




Size: 14" -24"
load rating: 35kg/18"

2471E Full Extension Ball Bearing Slide Soft Closing(拉篮滑轨 Wire Basket)




Size: 14" -24"
load rating: 35kg/18"

Soft Closing Cabinet Support 缓冲上翻路轨



门厚度 T(mm)	门宽度 W(mm)	门高度 H(mm)
19(3/4")或20	700~1400(27~9/16"~55~1/8")	350~450(13~25/32"~17~23/32")



Kitchen Hardware Fittings

厨柜配件

RL-01



FL-001



EQ-209



SP-0001



EQ-01



SB01



Welding-Free Stainless Steel Kitchen Cabinet Unit
不锈钢橱柜




Our Stainless Steel Kitchen is divided into four different Series :

我们的不锈钢厨具系列分为四个不同的系统：



Stainless Steel Panel



Assembled Cabinet



Full Set Cabinet



Mini Cabinet

Stainless Steel Panel

不锈钢门板

Perfect and simple

Flat surface of the stainless steel panel even the exceed 2 meters
Right angles for 4 sides and 4 corners
Detail perfect from every point of view
Absolutely identical to the others stainless steel panels
Extremely high standards every time in every dimension of the stainless steel panel
Using "Amada" bending machine for doing stainless steel door

Extremity quality of the stainless steel and aluminum

#304 raw material of the stainless steel panel
Non-print mark finished treatment
Resistance to salinity, to mist
Easier maintenance
Easy cleaning and hygiene



简易无瑕

长达 2 米的不锈钢门板平整且光滑
4 个边角采用嵌装技术组装, 4 个边角角度完全一样
在众多不锈钢门板中独树一帜
超越感官的完美设计, 高标准, 高品质
高质量产品, 每个门板平整, 对角相同
取日本 "Amada" 高精度数控折弯机, 准确可靠


超凡卓越

#304 不锈钢板材
无指纹纳米涂层
持久抗拉雾
清洁保养简易

304
Stainless Steel




Neutral Salt Spray Test for 96 hrs. Adhesion and Scratch Hardness Test.



Welding-Free Stainless Steel Glass Panel 无焊接不锈钢玻璃门



Welding-Free 45 Degree Panel 无焊接 45 度角门板



Welding-Free Standard Panel 无焊接标准门板



SS-01 #304 Stainless Steel 钢板




SS-02 #304 Stainless Steel 抗指纹板
Non Finger mark



SS-11 #304 Black Hairline 黑拉丝



SS-10 #304 Sliver Champagne 香槟银



SS-03 #304 Spring 鸟巢




SS-04 #304 Spray Silver 喷砂银



SS-12 #304 Ancient Red Copper Stone 红古铜石纹




SS-13 #304 Rose Golden Stone 玫瑰金石纹



SS-06 #304 Mirror 镜钢



SS-09 #304 Golden Rose 玫瑰金



SS-14 #304 Ancient Red Copper Wood 红古铜木纹



SS-15 #304 Ancient Bronze Wood 青古铜木纹




SS-08 #304 Golden 镜金



SS-07 #304 Golden Hairline 金拉丝



S-069 White Marble 白色大理石



S-070 Black Marble 黑色大理石



S-024 Maple 枫木



S-040 Yellow Cherry 黄樱桃



S-046 Alder 赤阳木



S-047 White Oak 白橡木



S-048 Rosewood 紫檀木



S-054 Ebony 檀木





S-050 Ribbon Wood Grain 丝条木纹



S-056 Greywood Line 灰木纹

OEM Case Preview



Elite quality of the stainless steel Cabinet

#304 raw material of the stainless steel
Detail perfect from every point of view
SGS ISO 9001:2000 certification
Custom assembled and OEM service
Non-print mark finished treatment
Easier maintenance, cleaning and hygiene
Protective environment



Assembled Cabinet Series

组合厨柜系列

Elite quality of the stainless steel Cabinet

#304 raw material of the stainless steel
Detail perfect from every point of view
SGS ISO 9001:2000 certification
Custom assembled and OEM service
Non-print mark finished treatment
Easier maintenance, cleaning and hygiene
Protective environment

自由设计组装

取日本"Amada" 高精度数控折弯机·准确可靠
#304 不锈钢板材
清洁保养简易
个性化的设计:
已制定一定规格方便参考
可根据要求有限度修改规格

304
Stainless Steel




Protective Environment
环保测试
Easily Cleaning
容易清洁




Base Door Unit 地柜

560(D) x 680(H)
with one door



Width	Item No.
150mm	BD1:150
200mm	BD1:200
300mm	BD1:300
400mm	BD1:400
450mm	BD1:450
500mm	BD1:500
600mm	BD1:600


560(D) x 680(H)
with one drawer and one door



Width	Item No.
400mm	B1DD1:400
450mm	B1DD1:450
500mm	B1DD1:500
600mm	B1DD1:600


Sink Unit 洗盆柜

560(D) x 680(H)
with two doors



Width	Item No.
400mm	BD2:400
500mm	BD2:500
600mm	BD2:600
800mm	BD2:800
900mm	BD2:900
1000mm	BD2:1000
1200mm	BD2:1200


560(D) x 680(H)
with two doors - no back panel



Width	Item No.
900mm	SD1DD2:900
1000mm	SD1DD2:1000
1200mm	SD1DD2:1200


Tall Unit 高柜

560(D) x 1950(H) / 2200(H)
with one door



Width	Item No.
300mm	TD1:300-1950
	TD1:300-2200
400mm	TD1:400-1950
	TD1:400-2200
600mm	TD1:600-1950
	TD1:600-2200
900mm	TD1:900-1950
	TD1:900-2200


560(D) x 1950(H) / 2200(H)
with one drawer



Width	Item No.
300mm	T1D:300-1950
	T1D:300-2200
400mm	T1D:400-1950
	T1D:400-2200
600mm	T1D:600-1950
	T1D:600-2200
900mm	T1D:900-1950
	T1D:900-2200


Oven Tall Unit 焗炉高柜

560(D) x 1950(H) / 2200(H)
with two drawers and one door in type A



Width	Item No.
600mm	O2DD1A-1950
600mm	O2DD1A-2200


560(D) x 1950(H) / 2200(H)
with two drawers and one door in type B



Width	Item No.
600mm	O2DD1B-1950
600mm	O2DD1B-2200


Base Drawer Unit 柜桶柜

560(D) x 680(H)
with one drawer




Width	Item No.
150mm	B1D:150
200mm	B1D:200
300mm	B1D:300
400mm	B1D:400
450mm	B1D:450
500mm	B1D:500
600mm	B1D:600

560(D) x 680(H)
with three drawers in type A




Width	Item No.
400mm	B3DA:400
450mm	B3DA:450
500mm	B3DA:500
600mm	B3DA:600
800mm	B3DA:800
900mm	B3DA:900

560(D) x 680(H)
with two drawers in type A




Width	Item No.
400mm	B2DA:400
450mm	B2DA:450
500mm	B2DA:500
600mm	B2DA:600
800mm	B2DA:800
900mm	B2DA:900

560(D) x 680(H)
with three drawers in type B




Width	Item No.
400mm	B3DB:400
450mm	B3DB:450
500mm	B3DB:500
600mm	B3DB:600
800mm	B3DB:800
900mm	B3DB:900

560(D) x 680(H)
with two drawers in type B




Width	Item No.
400mm	B2DB:400
450mm	B2DB:450
500mm	B2DB:500
600mm	B2DB:600
800mm	B2DB:800
900mm	B2DB:900

560(D) x 680(H)
with four drawers



Width	Item No.
400mm	B4D:400
450mm	B4D:450
500mm	B4D:500
600mm	B4D:600


560(D) x 680(H)
with five drawers



Width	Item No.
400mm	B5D:400
450mm	B5D:450
500mm	B5D:500
600mm	B5D:600

Base Corner Unit 转角地柜


560(D) x 680(H)
Door in the left hand side



Width	Item No.
1100mm	BCDL:1100
1150mm	BCDL:1150
1250mm	BCDL:1250


Wall Unit 吊柜

330(D) x 680(H)
with one door



Width	Item No.
300mm	WD1:300
400mm	WD1:400


330(D) x 340(H)
with upward door



Width	Item No.
900mm	WDIU:900
1000mm	WDIU:1000
1100mm	WDIU:1100

Wall Corner Unit 转角吊柜

600(D) x 680(H) x 600(W)
Door in the both side




D x H x W	Item No.
600 x 680 x 600 mm	WCBL:680




Protective Environment
環保測試
Easily Cleaning
容易清潔

560(D) x 680(H)
Door in the right hand side




Width	Item No.
1100mm	BCDR:1100
1150mm	BCDR:1150
1250mm	BCDR:1250

330(D) x 680(H)
with two doors



Width	Item No.
400mm	WD2:400
600mm	WD2:600
900mm	WD2:900
1000mm	WD2:1000

330(D) x 680(H)
with two upward doors



Width	Item No.
900mm	WD2U:900
1000mm	WD2U:1000
1100mm	WD2U:1100

Full Set Cabinet Series

整体定制橱柜系列

Looking For Protective Environment & New Design

然而历经沧桑，几经拼搏，终有所成，品尝着那份成功的硕果，了然于心的“只有淡泊明志，宁静致远”的和平。其实生活经营的只是一种心情。

Features:

OEM Made
All in One
No waste of space
Modern fashion design

产品特点：

可制定组装及呎吋
一体式设计
实用无浪费空间
现代时尚设计



Protective Environment
环保测试
Easily Cleaning
容易清洁



无论意气风发，还是情绪低迷，都可以在家找到慰藉，她既是事业的起点，又是事业的终点，承托着生命的全部

Mini Cabinet Series

迷你版定尺厨柜系列

Bachelor Life Are Looking For Simple And Mini For Your Life... No Need Complex
生活中,或许你是单身贵族... 或许只求几米空间... 或许你厌倦了清洁的繁琐

Features:

No Welding Connection
Protective Environment Design
Mini Design with A Full Set Function

产品特点:

无缝点焊,分体板式结构
完美的内置式设计,新颖的修饰
整体配置齐全,小巧精细

The Function Has Already Been Full Set.



Feature of Kitchen

厨柜特点



Protective Environment
环保测试
Easily Cleaning
容易清洁

The Full Stainless Steel Drawer

不锈钢抽屉板



The Fully Stainless Steel Panel Is Matched Various Drawer Slide.

1. 清洁简易,档次高端大气
2. 防污,防潮, 防腐,防虫蛀

L-Shape Corner of Cabinet

免拉手不锈钢柜体




Perfect Match : The L-Shape Corner of Cabinet For Without Handle of The Door.

1. Modern Design
2. Convenience Function

1. 时尚简洁,整体美观协调
2. 无拉手设计更符合时尚流行风格
3. 无拉手设计增添神秘感觉

Stainless Steel Stove Wall Panel

不锈钢炉头背板



Stainless Steel Wall Panel

The Tray Can Be Done Any Size.
The Tray Can Be Selected Various Panel Sheet.
Single Side : 5mm, 10mm, 15mm
Double Side: 18mm, 20mm

炉头不锈钢背板


1. 防火,防潮,防虫,不吸附污垢,水渍,0 甲醛,不生锈。
2. 根据生产升本以及客户配置所需,可制作单面经济或双面高配型。
3. 单面厚度

Stainless Steel Individual Sink Unit

独立式不锈钢水槽柜

The Stainless Steel Sink Unit Can Solve The Wooden Sink Unit Problem, Such As Draining Problem. It Is Individual Unit.

1. 解决厨房最易受潮位置问题，经久耐用。
2. 独立式设计有助随意个性化组合搭配。
3. 简单大方，美观实用



1. W 1200mm x D 600mm x H 754mm
2. W 900mm x D 600mm x H 754mm
3. W 600mm x D 600mm x H 754mm



Maple



Yellow Cherry



Ribbon Wood Grain



Oak



Greywood Line

Stainless Steel Individual Bath Unit

不锈钢卫浴柜

The Stainless Steel Bath Unit Can Solve The Wooden Bath Unit Problem, Such As Draining Problem. It Is Individual Unit.

1. W 600mm x D 450mm x H 820mm
2. W 650mm x D 550mm x H 850mm

1. 不锈钢拉丝浴室柜，不锈钢彩钢浴室柜，不锈钢木纹浴室柜，不锈钢工艺玻璃浴室柜款式多样，设计别致。
2. 不易开裂，防潮防霉，防水防锈，经久耐用，绿色环保，材料可回收再用。



Alder




Rosewood



Ebony



White Marble



Black Marble

Case of Project

工程个案

Protective Environment Life Time Durable
 雄厚的专业实力
 虚心，谦逊的态度
 精湛的设计理念



Type of The Cabinet



我们以专业的眼光和管理塑造卓越品质，精工细作，精益求精，专注每一个细致，成就无懈可击的专业地位位。